

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/081,841	02/20/2002	Bruce Carlin	CAR 0002CIP	4479
7590 04/27/2006		EXAMINER		
Wiiliam C. Fuess FUESS & DAVIDENAS Attorneys at law 10951 Sorrento Valley Road, Suite II-G San Diego, CA 92121-1613			THERIAULT, STEVEN B	
			ART UNIT	PAPER NUMBER
			2179	
			DATE MAILED: 04/27/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/081,841	CARLIN, BRUCE	
Office Action Summary	Examiner	Art Unit	
	Steven B. Theriault	2179	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 29 Au 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allowan closed in accordance with the practice under E	action is non-final. ace except for formal matters, pro		
Disposition of Claims			
4) □ Claim(s) 20-41 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) □ Claim(s) 20-41 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration.		
Application Papers			
9) The specification is objected to by the Examiner	•	•	
10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of th	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119	·		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s)	·		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	(PTO-413) ste atent Application (PTO-152)	

Application/Control Number: 10/081,841 Page 2

Art Unit: 2179

DETAILED ACTION

1. This action is responsive to the following communications: Amendment filed on 08/29/2005.

This action is made Final.

Claims 20-41 are pending in the case. Claims 1-19 are the cancelled claims. Claims 20, 23, 31, 33, 37, 38, 39 and 40 are the independent claims.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

Claims 20 - 22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The phrase "or, equivalently" renders the claims indefinite because the claim includes elements not actually disclosed (those encompassed by "or, equivalently"), thereby rendering the scope of the claims unascertainable. See MPEP § 2173.05(d).

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 20-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith et al (hereinafter Smith) U.S. Patent No. 6,727,925 B1 issued Apr. 27, 2004 in view of Technicon Inc. et al, (hereinafter Technicon) "ShowroomDemo", Feb. 1999,

Application/Control Number: 10/081,841 Page 3

Art Unit: 2179

http://web.archive.org/web/19990224120825/www.technicon.com/showroomdemo/main.html.

In regard to **Independent claim 20**, Smith teaches a computerized method of generating and rendering over a digital communications network a high-quality perspective view of an object that can exist in the real world located within, surrounding, or in front of, a three-dimensional that can also exist in the real world, the method of presenting a perspective view image of an object in a 3D scene comprising:

- Producing or selecting at a first computer upon a digital network
 - An 3D model of the background, or, equivalently, precursors of the 3D background model, or, equivalently, one or more related 2D view of the background scene suitable to serve as precursors of the 3D background model (Smith figure 8 and column 3, lines 56-67) Smith expressly shows the perspective view of office furniture in a 3D format with a particular background scene.
 - o For (1b) and (1c) associated dimensional information of the particular scene and (Smith column 9, lines 65-67 and column 10, lines 1-35 and Figure 9) Smith shows the process of associated dimensional information to the object with the scene.
 - A suitably- real world object positioned and oriented in the background scene; (Smith figure 8 and 9) Smith shows a real-world object (office furniture) within the background scene.
 - For which companion low-quality stand-in 3D models are derived or selected fro use in rendering a preview image at the first computer (Smith figures 7-9 and column 9, lines 1-67) Smith shows models in 3d of the objects along with preview of the object and a preview of the layout of the object within the scene.
 - O Using scene editing software on the first computer to place the object in the scene, while rapidly rendering the scene at the first computer using the companion low quality standins to guide the placement, a preview quality perspective view image of the object positioned and oriented in the background scene from the desired viewing angle and

Art Unit: 2179

camera position for use in allowing a rapid, iterative evaluation and modification of the scene until the desired perspective view of the scene is obtained, and then (in order to obtain a high-quality perspective view image of the scene); (Smith column 7, lines 1-67 and Figures 7-9) Smith expressly shows scene editing software where the perspective view of an image is shown with the image in a specific angle that can be rotated (see 162 AND 164) and where the user can perform as many iterations as they desire (See column 10, lines 1-41).

- Transmitting from the first computer upon the digital communications network the information (1)-(2) and the identity of the selected object and its location, orientation and other parameters; (Smith column 5, lines 29-35).
- Receiving at another, second, computer upon the digital communications network the background scene information and object and parameters; (Smith column 5, lines 29-67).
- Deriving in the second computer if not transmitted from the first computer a high-quality 3D background model the of represented and selected 3D background scene; (Smith column 6, lines 1-67).
- O Utilizing in second computer the background scene information and the identified parameters and any derived high-quality 3D background-scene model to generate and render in consideration of a camera position and orientation, a perspective view image of the selected object in the 3D scene (Smith column 6, lines 1-67 and figures 7-14).
- Transmitting from the second computer upon the digital communications network the perspective view image; and receiving at the first computer upon the digital communications network this perspective view image; and displaying at the first computer perspective view image; (Smith column 5, lines 29-67) Smith teaches the use of network computers to perform processing where the modeling tool and databases can be located on the network
- Wherein object, having associated geometry, is rendered with specified parameters in proper scale, position and rotation with the perspective view image; (Smith column 6,

Art Unit: 2179

lines 1-67 and figures 7-14) Smith shows the ability to render an object with associated geometry and scale and position and rotation information

Wherein object selection, parameterization, placement and orientation in the scene made interactively over a digital network supports the generation of a perspective view image having proper parameterization and perspective showing an object located and oriented within a 3D scene (Smith figures 7-14) Smith shows the object that is selected and displayed from the user perspective within a 3D scene.

Smith fails to expressly teach:

Wherein the entire computer generated perspective view image is rendered and viewed with the same proper perspective that a **conventional photo of the same scene would exhibit**, if captured by a camera; and

Smith teaches that a user is able to obtain a realistic display of an office configuration (See column 4, lines 18-21) and that a snapshot can be taken of the configuration and the rendered image is enhanced (See column 10, lines 35-40) however, Smith does not teach that the image is rendered as a conventional photo. Technicon teaches an on-line catalog system that provides 3D photo-realistic images to a customer instantaneously as well as placing the images within a 3D room, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased. Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the photorealistic image as taught by Technicon, in order to obtain a system that is able to display the furnishings as photorealistic pictures One would have been motivated to make such a combination because of the need to allow salespeople or customers to realistically view images in a potential final configuration in the customers home or

Art Unit: 2179

office which will shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

With respect to **dependent claim 21**, Smith teaches the computerized method of generating and rendering a high quality perspective view image wherein the iterations are further for illuminating the object in the scene so as to develop lighting parameters; wherein the communicating is also of the lighting parameters; and wherein the rendering of the second, high quality perspective view image of the 3D object located and oriented in the 3D scene is further in consideration of the developed lighting parameters (Smith column 6 lines 1-25)

With respect to **dependent claim 22**, as indicated in the above discussion, Smith in view of Technicon teaches every element of claim 20.

Smith fails to expressly teach/disclose the computerized method of generating and rendering a high quality perspective view image wherein the iteration is further for specifying quality parameters of the object in the scene; wherein the communicating is also of the quality parameters; and wherein the rendering of the second, high quality perspective view image of the object located and oriented in the scene is further in consideration of the specified quality parameters. However, this limitation would have been obvious to one of ordinary skill at the time the invention was made in view of Technicon because Technicon teaches a process of allowing the user to select a product and the system will display the product in a photorealistic high quality from high quality graphics servers where quality is a measure of the realistic looking features of the picture. Smith and Technicon to allow the user to view the image as close to real life as possible in catalogs of furniture for an office and render the user selections on the screen.

Technicon and Smith are also analogous art because they both attempt to solve a similar problem of reducing the time involved in the sales process by eliminating and showing realistic

Art Unit: 2179

depictions of the end product in the proposed environments.

In regard to Independent claim 23, Smith teaches a computerized method of generating and rendering over a digital communications network a high quality perspective view image of a three-dimensional (3D) object that can exist in the real world located within, surrounding, or in front of, a 3D scene that can also exist in the real world, the method of presenting a 3D perspective image of a 3D object in a 3D scene comprising:

- Rendering at a first computer, communicative upon a digital communications network, a
 first, low quality, perspective image of a 3D object in a 3D scene (Smith figures 7-14 and
 column 5, lines 25-67) Smith shows the display of low quality depictions of the office
 furniture selectable prior to being rendered in a 3D scene. The objects are 3D and
 orientated from the user perspective in a room
 - o (1) a low quality 3D model of the suitably-real-world object, (Smith Figure 8) Smith shows a real world desk in a 3D model
 - o (2) a relatively low quality 3D model of a selected suitably-real-world scene, in consideration of (Smith figure 8) Smith shows a real world scene of a room
 - (3) a selected 3D coordinate position and angular orientation of the 3D object in the 3D scene, (Smith figure 8) Smith shows the desk at a specific angle and angle of the object and the scene
 - (4) location and orientation of a camera view onto the scene, (Smith figures 7-14)
 Smith shows the camera position from a variety of angles
 - o (5) Scene and object size; (Smith column 6, lines 1-67)
 - o (6) Parameter of the scene lighting, (Smith column 6, lines 1-67)
 - o (7) Parameters of resolution of any one or both of the object and of the scene; (Smith column 6, lines 1-67)
- Wherein this first, *low quality* perspective view image simply shows the 3D object located and oriented in the 3D scene; (Smith figure 8) communicating from the first computer

Art Unit: 2179

upon the digital communications network the information (1)-(7) to a second computer; Smith column 5, lines 1-67) Smith teaches a network with servers that can perform complex tasks along with the client.

- From information (1), selecting in the second computer (1a) a high-quality 3D model of the selected suitably-real-world object, and from information (2), receiving at, selecting or generating in the second computer (2a) a high-quality 3D model of the selected suitably-real-world scene; rendering at the second computer a second, high-quality, perspective view image from (1) the high-quality 3D model of the selected object, or derivatives or extensions of this model, and (2a) the high-resolution 3D model of the scene, or derivatives or extensions of this model, in consideration of at least the information (3)-(7); (Smith figures 7-14 and column 5, lines 1-67)
- Wherein the second, high-quality, perspective view image is a high-quality image of the
 3D object in the 3D scene (Smith column 10, lines 1-67)
- Communicating from the second computer upon the digital communications network to the first computer the second, high-quality 3D perspective view image; (Smith column 5, lines 1-67 and column 10, lines 1-67)
- Displaying at the first computer this second, high-quality perspective view image (Smith figures 7-14).

Smith fails to expressly disclose:

 Wherein the second, high-resolution, 3D composite image is a photorealistic image of the 3D object in the 3D scene;

Smith teaches that a user is able to obtain a realistic display of an office configuration (See column 4, lines 18-21) and that a snapshot can be taken of the configuration and the rendered image is enhanced (See column 10, lines 35-40) however, Smith does not teach that the image is rendered as a conventional photo. Technicon teaches an on-line catalog system that provides 3D photo-realistic images to a customer instantaneously as well as placing the images within a 3D room, for the purpose of providing a customer with a realistic

Art Unit: 2179

view of the how the furniture will appear once the furniture is purchased. Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the photorealistic image as taught by Technicon, in order to obtain a system that is able to display the furnishings as photorealistic pictures One would have been motivated to make such a combination because of the need to allow salespeople or customers to realistically view images in a potential final configuration in the customers home or office which will shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

With respect to **dependent claim 24**, as indicated in the above discussion. Smith in view of Technicon teaches every element of claim 23.

Smith fails to expressly teach/disclose the method exercised to the purpose that a prospective purchaser of the suitably-real-world 3D object may be rendered the second, high quality perspective view of a 3D object that is a virtual object; wherein should the virtual object be made real in the world, then it would not merely suitably exist within the suitably-real-world 3D scene, but would suitably so exist as depicted in the second, photorealistic, perspective view image However, this limitation would have been obvious to one of ordinary skill at the time the invention was made in view of Technicon because Technicon teaches a process of allowing the user to select a product and the system will display the product in a photorealistic high quality from high quality graphics servers where the objects are separate and individual items in the display and shown as if built and made already for the user as taught by Technicon (See page 3). Smith and Technicon both allow the user to browse

Art Unit: 2179

through catalogs of furniture for an office and render the user selections on the screen.

Technicon and Smith are also analogous art because they both attempt to solve a similar problem of reducing the time involved in the sales process by eliminating and showing realistic depictions of the end product in the proposed environments.

With respect to **dependent claim 25**, Smith teaches the method wherein the rendering at a first computer of the first, low quality, perspective view image is from (1) a low-quality 3D model of a scene derived at the first computer (Smith figures 7-14)

With respect to **dependent claim 26**, Smith teaches the method wherein the rendering at a first computer of the first, low-quality, perspective view image is from (1) a low-quality 3D model of the object received upon the communications network from the second computer as a model dynamically generated from specifications provided to the second computer by the first computer (Smith column 10, lines 1-37) Smith teaches the modeling tool is a separate tool that can reside on a server or second computer that dynamically takes the specifications of the image and provides the image to the client.

With respect to **dependent claim 27**, Smith teaches the method wherein the rendering at a first computer of the first, low-quality, perspective view image is from (1) a low-quality model of the object received upon the communications network from a third computer as a model from a pre-existing catalog of low-resolution 3D object models. (Smith column 5, lines 35-55).

With respect to **dependent claim 28**, Smith teaches the method wherein the rendering at a first computer of the first, low-quality, perspective view image is from (2) a low-quality 3D model of the scene received upon the communications network from the second computer as

a model dynamically generated from specifications provided to the second computer by the first computer (Smith column 5, lines 35-55).

With respect to **dependent claims 29 and 30**, Smith teaches the method wherein the rendering at a first computer of the first, low-quality, perspective view image is from (2) a low-quality 3D model of the scene received upon the communications network from a third computer as a model from a pre-existing catalog of low-resolution 3D object models and where the real world object is an object for sale. (Smith column 5, lines 35-55).

In regard to Independent claim 31, Smith teaches a computerized method of generating and rendering over a digital communications network a perspective view of a three-dimensional object that can exist in the real world located within a three-dimensional space that can also exist in the real world, the method of presenting a perspective view image of a 3D object in a 3D space comprising:

- Using at a client computer upon a digital communications network (1) one or more accurately-scaled 3D models representing one or more associated suitably-real-world 3D objects, and (2) an accurately-scaled model of a 3D scene in which 3D scene the suitably-real-world 3D objects can exist, (3) associated scene camera and lighting parameters, (4) associated placement and rotational information regarding where and at what positional attitude the one or more 3D objects are placed within the 3D scene; (Smith figures 7-14 and column 6, lines 1-25) Smith shows a 3d object and scene and where the client uses a network of computers to model the environment and where rotational and placement information is manipulated by the user.
- Transmitting from the first computer upon the digital communications network the information (1)-(4); (Smith column 5, lines 35-55)

Application/Control Number: 10/081,841 Page 12

Art Unit: 2179

 Receiving at another, second, computer upon the digital communications network the information (I)-(4); (Smith column 5, lines 35-55)

- In the second computer in accordance with at least the information (1) selecting or generating (1a) a detailed, model of the one or more 3D objects, in accordance with at least the information (2) selecting or generating (2a) a detailed, model of the 3D scene, and in accordance with the (1a) and (2a) models, and information (3)-(4) and extensions thereof, a perspective view image of the one or more 3D objects properly scaled, located and oriented within the 3D scene; (Smith column 5, lines 35-55)
- Then transmitting from the second computer upon the digital communications network this perspective view image; (Smith column 5, lines 35-55)
- Receiving at the first computer upon the digital communications network this perspective view; (Smith column 5, lines 35-55)
- Displaying at the first computer this perspective view. (Smith figure 7-14)

 Smith does not expressly disclose:
 - A high-quality, model of the one or more 3D objects

Technicon teaches an on-line catalog system that provides 3D photo-realistic high quality images to a customer instantaneously as well as placing the images within a 3D room, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased (Technicon page 3, lines 1-10). Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the applicant submitted prior art, Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the high quality as taught by Technicon, in order to obtain a system that is able to display high quality pictures. of the need to allow salespeople or customers to realistically view images in a potential final configuration in the customers home or office which will shorten sales cycles by viewing the

Art Unit: 2179

images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

With respect to **dependent claim 32**, as indicated in the above discussion, Smith in view of Technicon teaches every element of claim 31.

Smith fails to expressly teach/disclose the method exercised to the purpose that a prospective purchaser of one or more of the one or more suitably-real-world objects may be rendered the high-quality perspective view image where at least one of the one or more 3D objects is a virtual object not existing in the world, and which might only suitably exist within the suitably-real-world 3D scene; wherein even though at least one 3D object shown in the highresolution 3D perspective view is virtual and does not actually exist, the 3D object both (i) could exist, and (ii) could exist as so shown within the high- quality perspective view However, this limitation would have been obvious to one of ordinary skill at the time the invention was made in view of Technicon because Technicon teaches a process of allowing the user to select a product and the system will display the product in a photorealistic high quality from high quality graphics servers where the objects are separate and individual items in the display and shown as if built and made already for the user as taught by Technicon (See page 3). Smith and Technicon both allow the user to browse through catalogs of furniture for an office and render the user selections on the screen. Technicon and Smith are also analogous art because they both attempt to solve a similar problem of reducing the time involved in the sales process by eliminating and showing realistic depictions of the end product in the proposed environments.

In regard to **Independent claim 33,** Smith teaches a computerized method of producing a high resolution photorealistic 3D image on and between at least two computers communicating over a digital communications network, the method comprising:

Application/Control Number: 10/081,841 Page 14

Art Unit: 2179

Providing from a server computer across a digital communications network to a client computer (i) a catalog of small, low-quality, 3D graphics models of objects and (ii) at least one model of a scene in which the objects may exist; (Smith figures 7-14 and column 5, lines 25-67) Smith shows the display of low quality depictions of the office furniture selectable prior to being rendered in a 3D scene. The objects are 3D and orientated from the user perspective in a room

- Selecting at the client computer one or more objects and at least one scene; (Smith figures 7 14) Smith shows the selection of one or more objects in a room
- Communicating these selections from the client computer across the communications
 network to the server computer; (Smith column 5, lines 1-67) Smith teaches the
 communicating selections from the client to a server.
- Responsively to receipt of the selections, providing from the server computer across the communications network to the client computer a set of at least the associated small, lowquality 3D models; (Smith column 5, lines 1-67).
- Manually manipulating at the client computer spatial (i) positions and orientations of a selected one or more object models from the set of models (ii) within the at least one scene model, and rendering at the client computer from these object and scene models, a first, rudimentary, low-quality perspective view image of the one or more selected objects in the at least one scene, this low-resolution 3D image being used as a preview; Smith column 7, lines 1-67 and Figures 7-9) Smith expressly shows scene editing software where the perspective view of an image is shown with the image in a specific angle that can be rotated (see 162 AND 164) and where the user can perform as many iterations as they desire (See column 10, lines 1-41).
- Communicating, from the client computer across the communications network to the sever computer, at least camera, lighting and image size and resolution parameters, and positional placements and orientations of each of the selected and manipulated one or more objects in the at least one scene; (Smith column 5, lines 1-67 and column 6, lines 1-35)

Art Unit: 2179

Smith fails to expressly disclose:

From the received positional placements and orientations of the selected one or more
objects, rendering in the server computer from associated large high-quality 3D models of
the selected one or more objects and of the at least one scene, a photorealistic, 3D highquality perspective image of the selected one or more objects located and oriented in the
scene;

- Communicating from the sever computer upon the digital communications network to the client computer the photo realistically-rendered high-quality 3D perspective view composite image;
- Displaying at the client computer this photo realistically-rendered high-quality 3D perspective view image

Technicon teaches an on-line catalog system that provides 3D photo-realistic high quality images to a customer instantaneously as well as placing the images within a 3D room and scene, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased with the appropriate background while communicating the information from a client to a graphics server (Technicon page 3, lines 1-10). Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the applicant submitted prior art, Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the high quality as taught by Technicon, in order to obtain a system that is able to display high quality pictures. of the need to allow salespeople or customers to realistically view images in a potential final configuration in the customers home or office which will shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

Art Unit: 2179

With respect to **dependent claims 34 and 36**, as indicated in the above discussion, Smith in view of Technicon teaches/discloses every element of claim 33.

Smith fails to expressly teach/disclose the computerized method of producing a high quality photorealistic image wherein the photo realistically-rendered high-quality 3D composite image is suitable to serve as advertising copy, meaning in particular that it is devoid of clearly visible defects; wherein a 3D graphic artist of this photo realistically-rendered high-quality 3D composite image who performs selections and manipulations at the client computer need not have to attend to, and did not actually attend to, the building of the 3D models and any textures, or rendering which building transpired elsewhere.

Technicon teaches an on-line catalog system that provides 3D photo-realistic images to a customer instantaneously as well as placing the images within a 3D room, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased without a user tending to the building of the 3D models or rendering as the system performs these functions (Technicon page 3, lines 1-10). Technicon also teaches the process of using the saved room configurations in advertising copies (Technicon page 7, pictures 1-4 and Akasha Engineers). Additionally, Technicon shows the ability to render within a browser the furniture configurations without an artist having to touch the images (Technicon page 8) Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the applicant submitted prior art, Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the high quality photorealistic images as taught by Technicon, in order to obtain a system that is able to display high quality pictures of the need to allow salespeople or customers to realistically

view images in a potential final configuration in the customers home or office which will shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

With respect to **dependent claim 35**, as indicated in the above discussion, Smith in view of Technicon teaches every element of claim 34.

Smith teaches the computerized method of producing images wherein the building of the 3D models and any textures transpired in a model-building computer (See column 10, lines 1-67)

Smith fails to disclose high quality photorealistic image processing However, this limitation would have been obvious to one of ordinary skill at the time the invention was made in view of Technicon because Technicon teaches a process of allowing the user to select a product and the system will display the product in a photorealistic high quality from high quality graphics servers as taught by Technicon (See page 3). Smith and Technicon both allow the user to browse through catalogs of furniture for an office and render the user selections on the screen. Technicon and Smith are also analogous art because they both attempt to solve a similar problem of reducing the time involved in the sales process by eliminating and showing realistic depictions of the end product in the proposed environments.

In regard to **Independent claim 37**, Smith teaches a method of rendering at high quality a photorealistic 3D image as a business service on a digital communications network, the high resolution photorealistic 3D image rendering business service comprising:

Providing from a server computer across the digital communications network to a client computer any of (i) a catalog of small, low-resolution, 3D graphics models, or (ii) a tool for generating small, low-resolution, 3D graphics models, or (iii) an actual, small, low-resolution, 3D graphics models of at least (1) objects and (2) scenes in which the objects may exist; (Smith figures 7-14 and column 5, lines 25-67) Smith shows the display of low

Art Unit: 2179

quality depictions of the office furniture selectable prior to being rendered in a 3D scene.

The objects are 3D and orientated from the user perspective in a room

- Receiving at the server computer upon the digital communications network from the client computer information as to the identities of at least one object and at least one scene selected from the catalog, and further information as to the camera and lighting parameters and image size and resolution and where and at what orientations selected identified objects are to be placed and oriented in the selected scene; (Smith column 5, lines 1-67 and column 6, lines 1-35)
- Responsively to received information and further information, rendering in the server
 computer from associated 3D models of each selected object and also of the identified
 scene, a perspective view image of each selected object located and oriented in the
 identified scene; and communicating from the sever computer upon the digital
 communications network to the client computer this rendered perspective view image;
 (Smith column 5, lines 1-67 and column 6, lines 1-35)
- Wherein the client computer is provided with a rendered perspective view image without
 necessity of either (i) having the models from which this perspective view image is
 rendered, or (ii) rendering this perspective view image itself. (Smith column 5, lines 1-67
 and column 6, lines 1-35)
- Smith does not expressly disclose:
 - High quality perspective view images

Technicon teaches an on-line catalog system that provides 3D photo-realistic high quality images to a customer instantaneously as well as placing the images within a 3D room and scene, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased with the appropriate background while communicating the information from a client to a graphics server (Technicon page 3, lines 1-10). Smith and Technicon are analogous art because they are from the same field of

endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the applicant submitted prior art, Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the high quality as taught by Technicon, in order to obtain a system that is able to display high quality pictures of the need to allow salespeople or customers to realistically view images in a potential final configuration in the customers home or office which will shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

In regard to **Independent claim 38**, Smith teaches a method performed by (i) a relatively simple client computer running relatively simple software (ii) connected upon a digital communications network to (iii) a relatively powerful graphics server computer running relatively sophisticated graphics image rendering software, of deriving at the client computer a perspective view image as is a typical product of the graphics server computer and beyond the capabilities of the client computer and software operating therein, the method by which a networked client computer may bootstrap itself to production of a perspective view image comprising:

Receiving in the client computer from the graphics server computer across the digital communications network a catalog of, or tool for generating low-resolution 3D graphics models for selected (1) objects and (2) scenes in which the objects may exist; (Smith figures 7-14 and column 5, lines 25-67) Smith shows the display of low quality depictions of the office furniture selectable prior to being rendered in a 3D scene. The objects are 3D and orientated from the user perspective in a room

Art Unit: 2179

- Selecting at the client computer objects and at least one scene from the catalog and
 downloading the selected objects and/or scene from the graphics server computer across the
 communications network, or, alternatively as the case may be, generating with the tool object
 and/or scene models; (Smith column 5, lines 25-35)
- Manipulating at the client computer the received and/or generated low-resolution models to derive spatial positions and orientations of objects within a scene; (Smith figures 7-14).
- Communicating these object positional placements and orientations, and also camera,
 lighting and image size and resolution parameters, across the communications network to the
 graphics server computer; (Smith column 6, lines 1-35).

Smith does not expressly disclose:

• Receiving back from the graphics server computer upon the digital communications network a photorealistic 3D high-resolution composite image of the objects placed, oriented, illuminated and viewed from a perspective, as were all derived from the manipulating, and as were communicated to the graphics server computer and Displaying at the client computer this photo realistically-rendered high-quality perspective view image (Smith column 5, lines 25-35 and figures 7-14).

Technicon teaches an on-line catalog system that provides 3D photo-realistic images to a customer instantaneously as well as placing the images within a 3D room, for the purpose of providing a customer with a realistic view of the how the furniture will appear once the furniture is purchased (Technicon page 3, lines 1-10 and page 6). Smith and Technicon are analogous art because they are from the same field of endeavor of providing online software to provide 3D representations of furniture or other objects in realistic settings.

Accordingly, It would have been obvious to one of ordinary skill in the art, having the teachings of the applicant submitted prior art, Smith and Technicon before him at the time of the invention was made, to modify the system of Smith to incorporate the online catalog as taught by Technicon, in order to obtain a system that is able to display the high-quality perspective view

Art Unit: 2179

images. One would have been motivated to make such a combination because of the need to shorten sales cycles by viewing the images directly, reduce costs by obtaining sales online and eliminate product configuration errors as taught by Technicon.

With respect to **Independent claim 39**, Smith teaches a computerized method of generating and rendering over a digital communications network a high quality perspective view image of an object that can exist in the real world located within, surrounding, or in front of, a three-dimensional scene that can also exist in the real world, the method of presenting a perspective view image of an object in a 3D scene comprising:

Producing at a first computer running a 3D scene editor, digital content creation, computer aided design or browser program with or without a plug-in a 3d scene file (Smith figures 7-14) Smith shows a scene editor

Receiving at another, second, powerful graphics computer upon the digital communications network the scene file (Smith column 5, lines 1-67) Smith teaches a modeling tool that can be located on a remote computer that contains configuration information about the 3d images on the screen.

Utilizing in the second computer the scene file to generate and render in consideration of (5) a camera position and orientation specified in the scene file, (6) a perspective view image of the selected object in the 3D scene and then transmitting from the second computer upon the digital communications network the (6) perspective view image; and receiving at the first computer upon the digital communications network this (6) perspective view image and displaying at the first computer this (6) perspective view image; (Smith figure 8 and column 3, lines 56-67) Smith expressly shows the perspective view of office furniture in a 3D format with a particular background scene where the modeling tool manipulates the 3D information in a configuration file and the modeling tool returns the reconfigured information to the client for display.

Art Unit: 2179

Wherein the object, having an associated geometry, is rendered in proper (1) scale, (2) position and (3) rotation within the perspective view image; (Smith figure 8 and column 6, lines 1-35) Smith shows the 3d picture contains associated geometry, scale and rotation information

Wherein the entire computer generated perspective view image is rendered and viewed with the same proper perspective that a conventional photo of the same scene would exhibit, if captured by a camera; and (Smith column 10, lines 35-45) Smith teaches using a snapshot tool to sharpen and add depth to the picture to make it look more realistic as if captured by a camera

Wherein the scene specification, made interactively over a digital communications network, supports the relatively rapid ray-traced rendering of a perspective view image having proper perspective, showing an object located and oriented within a 3D scene. (Smith column 10, lines 35-45).

With respect to Independent claim 40, Smith teaches a computerized method of generating and rendering over a digital communications network a high-quality perspective view image that can exist the real world located within, surrounding, or in front of a three-dimensional scene that can also exist in the real world, the method of presenting the perspective view of an object in a 3D scene comprising:

Producing at a first computer running a 3D scene editor, Digital Content Creation, Computer Aided Design, or browser program with or without a plug-in a 3D scene file containing references to 3D objects on the second computer; (Smith figures 7-14 and column 5, liens 30-67) Smith shows a scene editor and the ability to have the complex graphical processing occur on remote servers which include a graphics server as taught by having a CAD package.

Art Unit: 2179

Transmitting from the first computer upon the digital communications network the scene file; (Smith column 5, lines 40-45)

Receiving at another, second, powerful graphics computer upon the digital communications network the scene file; (Smith column 5, lines 40-45)

Utilizing in the second computer the scene file to generate and render consideration of (5) a camera position and orientation specified in the scene file, (6) a perspective view image of the selected object in the 3D scene and then transmitting from the second computer upon the digital communications network the (6) perspective view image; and receiving at the first computer upon the digital communications network this (6) perspective view image displaying at the first computer this (6) perspective view image; (Smith figure 8 and column 3, lines 56-67) Smith expressly shows the perspective view of office furniture in a 3D format with a particular background scene and camera position and where the modeling tool manipulates the 3D information in a configuration file and the modeling tool returns the reconfigured information to the client for display (See metafile).

Wherein the object, having an associated geometry, is rendered in proper (1) scale, (2) position and (3) rotation within the perspective view image; (Smith figure 8 and column 6, lines 1-35) Smith shows the 3d picture contains associated geometry, scale and rotation information

Wherein the entire computer generated perspective view image is rendered and viewed with the same proper perspective that a conventional photo of the same scene would exhibit, if captured by a camera; and (Smith column 10, lines 35-45) Smith teaches using a snapshot tool to sharpen and add depth to the picture to make it look more realistic as if captured by a camera.

Wherein the scene specification, made interactively over a digital communications network, supports the relatively rapid ray-traced rendering of a perspective view image having proper perspective, showing an object located and oriented within a 3D scene. (Smith column 10, lines 35-45).

Art Unit: 2179

With respect to **dependent claim 41**, the computerized method of generating and rendering a high-quality perspective view image wherein the iterations are further for texturing the object in the scene so as to develop texture parameters;

Wherein the communicating is also of the texture parameters; wherein the rendering of the second, high-quality perspective view image of the 3D object located and oriented in the 3D scene is further in consideration of the developed texture parameters. (Smith column 6, lines 1-25) Smith teaches the incorporation of texture features that can be modeled.

It is noted that any citation to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. In re *Heck*, 699 F.2d 1331, 1332-33,216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re *Lemelson*, 397 F.2d 1006,1009, 158 USPQ 275, 277 (CCPA 1968)).

Response to Arguments

Applicant's arguments with respect to claims 20-41 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be

Art Unit: 2179

calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven B. Theriault whose telephone number is (571) 272-5867. The examiner can normally be reached on M-F 7:30 - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on (571) 272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SBT